L Number	Hits	Search Text	DB	Time stamp
1		174/48-49.ccls.	USPAT;	2004/01/15 10:12
i	1	t 	US-PGPUB;	,
1	1		EPO; JPO;	1
1			DERWENT	
2	32	174/48-49.ccls. and vehicle	USPAT;	2004/01/15 10:15
1	1		US-PGPUB;	1
1	}		EPO; JPO;	
1 3	985	174/50.ccls.	DERWENT USPAT;	2004/01/15 10:14
i		1	US-PGPUB:	2004/01/13 10:14
i	i		EPO; JPO;	i
1	1		DERWENT	!
ì 4	943	174/59-60.ccls.	USPAT;	2004/01/15 10:16
!	!		US-PGPUB;	
İ	}	; I	EPO; JPO;	}
	1	184/50 223 223 233	DERWENT	
5	68	174/50.ccls. and vehicle	USPAT;	2004/01/15 10:16
1	Ì		US-PGPUB;	
!	:	1	EPO; JPO; DERWENT	
16	42	1 174/59-60.ccls. and vehicle	USPAT;	2004/01/15 10:16
į			US-PGPUB;	2001/01/15 10:10
1	1	` 1	EPO; JPO;	į l
t	i I		DERWENT	
1 -	1033	244/1R.ccls.	USPAT;	2003/11/20 10:56
1	ĺ		US-PGPUB;	
1	1		EPO; JPO;	!
1_	1	:   6452592 nn	DERWENT	1 2002 /02 /02 02 02
1	į	6452582.pn.	USPAT;	2003/03/20 09:05
1	Į.	1	US-PGPUB; EPO; JPO;	j
i	ļ		DERWENT	1
! -	43	244/1R.ccls. and mount	USPAT;	2003/03/20 16:02
į	1	; !	US-PGPUB;	
	i		EPO; JPO;	
	-	044/20 2232	DERWENT	i
į -	8	244/1R.ccls. and routing	USPAT;	2003/03/20 09:07
[ ;	1		US-PGPUB;	
}	}	; I	EPO; JPO;	<u> </u>
; -	, J 86	"flexible wire guide"	USPAT;	2003/03/24 10:02
1		j	US-PGPUB;	= 112, 13, 21 10.02
i	}		EPO; JPO;	:
1	i C I		DERWENT	!
1 -	1767	"wire harness" and flexible	USPAT;	2003/03/20 12:25
1	L		US-PGPUB;	
}	ļ		EPO; JPO;	
i -	1496	   "wiring harness" and flexible	DERWENT	1 2002/02/20 00:24
I i	. 1470	"12112 WILLION AND LIGHTDIA	USPAT; US-PGPUB;	2003/03/20 09:31
ł	l		EPO; JPO;	į
1	I		DERWENT	!
-	84	("wire harness" and flexible) and ("S	USPAT;	2003/03/26 10:24
1	}	shaped" or "C shaped")	US-PGPUB;	
!	! '		EPO; JPO;	!
İ_	25	(New ping harmond and 61 - 41 - 41 - 41 - 41 - 41 - 41 - 41 -	DERWENT	
1 -	, 85   1	("wiring harness" and flexible) and ("S shaped" or "C shaped")	USPAT;	2003/03/20 09:45
		snaped of "C snaped"	US-PGPUB;	
i			EPO; JPO; DERWENT	
! -	43	("wiring harness" and flexible) and ("two	USPAT;	2003/03/20 09:56
j		dimensional")	US-PGPUB;	2003/03/20 09.36
			EPO; JPO;	
+			DERWENT	
i -	45	("wire harness" and flexible) and ("two	USPAT;	2003/03/20 09:35
	1	dimensional")	US-PGPUB;	
}	l		EPO; JPO;	
`		<u></u>	DERWENT	'

-	71		USPAT;	2003/07/21 08:58
į	1	shaped" or "C shaped")) not (("wire harness"	US-PGPUB;	! i
	i	and flexible) and ("S shaped" or "C	EPO; JPO;	<b>,</b>
		shaped"))	DERWENT	2002/00/00 00 55
! -	38	(("wire harness" and flexible) and ("two dimensional")) not (("wiring harness" and	USPAT;	2003/03/20 09:56
}			US-PGPUB;	
:	ļ	flexible) and ("two dimensional"))	EPO; JPO;	1
1	241	"flowible tube" and "wire quide"	DERWENT   USPAT;	2003/03/20 12:03
: -	241	"flexible tube" and "wire guide"	US-PGPUB;	2003/03/20 12:03
1	, ,		EPO; JPO;	i
i	ļ	ı 	DERWENT	!
	, 323	equipment module" and connection	USPAT;	2003/03/20 12:06
,	1		US-PGPUB:	2003,03,20 12.00
ļ	; 		EPO; JPO;	1
<b>!</b>	, ,		DERWENT	
i -	3	("equipment module" and connection) and	USPAT;	2003/03/20 12:06
(	! :	"wire guide"	US-PGPUB;	! ' '
1	1		EPO; JPO;	1
	; !		DERWENT	!
j -	98	("equipment module" and connection) and	USPAT;	2003/03/20 12:06
,	į	"flexible"	US-PGPUB;	1
!	ļ.		EPO; JPO;	!
:	ļ.		DERWENT	
-	657	"wire harness" and computer	USPAT;	2003/03/20 15:02
	j		US-PGPUB;	
}		<b>,</b>	EPO; JPO;	1
!			DERWENT	
-	35	"wire harness" and computer and ("S shaped"	USPAT;	2003/03/20 13:53
` 1	}	or "C shaped")	US-PGPUB;	1
!	:		EPO; JPO;   DERWENT	!
1	205	108/50.02.ccls.	USPAT;	2003/03/20 15:06
	, 205	100/50.02.0018.	US-PGPUB;	2003/03/20 15:06
1	1	· 	EPO; JPO;	1
	i		DERWENT	¦ ;
	252	312/223.6.ccls.	USPAT;	2003/03/20 15:07
	 i		US-PGPUB;	1
}	!		EPO; JPO;	1
i	ĺ	1	DERWENT	}
1.	2047	174/52.1.ccls.	USPAT;	2003/03/20 15:09
i	1	· ·	US-PGPUB;	<u> </u>
i		<u> </u>	EPO; JPO;	
1	}		DERWENT	
` -	193	174/52.1.ccls. and flexible	USPAT;	2003/03/20 15:09
}	1		US-PGPUB;	}
I	1	1 i	EPO; JPO;	
1 _	. 443	211/26 cale	DERWENT USPAT;	2003/03/20 15:09
1	443	211/26.ccls.	US-PGPUB;	2003/03/20 15:09
1	I	<u> </u>	EPO; JPO;	!
1	1	}	DERWENT	1
_ =	1 6	244/1R.ccls. and avionic	USPAT;	2003/03/20 16:03
}	ĺ	,	US-PGPUB;	20,00
J	l	1	EPO; JPO;	
1			DERWENT	1
j -	70	244/1R.ccls. and instrument	USPAT;	2003/03/20 16:07
1	: I	†	US-PGPUB;	
}	l	]	EPO; JPO;	!
į	1		DERWENT	
} -	227	244/\$.ccls. and "instrument panel"	USPAT;	2003/03/20 16:11
	Į	1	US-PGPUB;	
!	I I		EPO; JPO;	†
i _	32	(244/S cole and "instrument nanol") and	DERWENT	12003/03/20 16-03
1 -	32	(244/\$.ccls. and "instrument panel") and wire	USPAT; US-PGPUB;	2003/03/20 16:07
}	)	MTTE	EPO; JPO;	
I	i	1	DERWENT	ì
1 -	1377	aircraft and "instrument panel"	USPAT;	2003/03/20 16:14
:	1	the second secon	US-PGPUB;	
1	1		EPO; JPO;	1
1	1		DERWENT	
	<del></del>	<del></del>	1220000	·

			<del> </del>	
-	38	(aircraft and "instrument panel") and "wiring harness"	USPAT; US-PGPUB;	2003/03/20 16:15
i			EPO; JPO;	i 1
1			DERWENT	
; -	501	module and mount and "pin connector"	USPAT;	2003/03/21 08:19
†			US-PGPUB;	
į į			EPO; JPO; DERWENT	
	18	(module and mount and "pin connector") and	USPAT;	2003/03/21 08:13
i		"instrument panel"	US-PGPUB;	
1			EPO; JPO;	<u> </u>
1	3	(module and mount and "pin connector") and	DERWENT	2003/03/21 08:17
;	3	"dash board"	USPAT;	1 2003/03/21 08:17 .
!			EPO; JPO;	1
1 :		  -	DERWENT	
l -	42	(module and mount and "pin connector") and	USPAT;	2003/03/21 08:19
1		"wiring harness"	US-PGPUB;	:
			DERWENT	
, ~	1	"flexible wire guide" and "two dimensional"	USPAT;	2003/03/24 10:03
	; 1		US-PGPUB;	!
<b>†</b>			EPO; JPO; DERWENT	
	1147	"two dimensional movement"	USPAT;	2003/03/24 10:05
1			US-PGPUB;	1
· 1		l I	EPO; JPO;	:
1_		   "two dimensional movement" and wire	DERWENT USPAT;	2003/03/24 10:06
-	11/	Cwo dimensional movement and write	US-PGPUB;	. 2003/03/24 10:06 \ 
	i l		EPO; JPO;	,
	_		DERWENT	
i <del>-</del>	. 2	"two dimensional movement" and ("wire gude" or "wiring harness")	USPAT; US-PGPUB;	2003/03/24 14:00
1		or wiring narness )	EPO; JPO;	į
i	)		DERWENT	!
! -	3	"two dimensional movement" and ("wire guide"	USPAT;	2003/03/24 14:02
}		or "wiring harness")	US-PGPUB;	! !
1	ı I		DERWENT	
-	463	"wire routing" and method	USPAT;	2003/03/24 14:34
;	ļ		US-PGPUB;	1
	l		EPO; JPO; DERWENT	į
j -	1523	("dash board" or "instrument panel") and	USPAT;	2003/03/24 14:37
,	: I	mounting and (wire or wiring)	US-PGPUB;	
}	!	; 	EPO; JPO;	ì
; -	467	(("dash board" or "instrument panel") and	DERWENT USPAT;	2003/03/24 14:46
İ	!	mounting and (wire or wiring)) and guide	US-PGPUB;	
ì	}		EPO; JPO;	 
1 -	. 66	((("dash board" or "instrument panel") and	DERWENT USPAT;	2003/03/24 14:47
1	!	mounting and (wire or wiring)) and guide)	US-PGPUB;	2000,00,24 14.47
i	· }	and "wiring harness"	EPO; JPO;	
		///Hanah hanadi am Hinakumant	DERWENT	2002/02/24 24 42
i	89	((("dash board" or "instrument panel") and mounting and (wire or wiring)) and guide)	USPAT;	2003/03/24 14:47
1	, 	and "wire harness"	EPO; JPO;	
1	! -		DERWENT	0000/65/55
i	5	("wire harness" and flexible) and motherboard	USPAT;	2003/03/26 10:26
	! !	MODIFICIONALA	US-PGPUB; EPO; JPO;	
}		I	DERWENT	
: -	35	"wiring harness" and motherboard	USPAT;	2003/03/26 10:31
İ	[		US-PGPUB; EPO; JPO;	j
j	}		DERWENT	1
-	7	244/\$.ccls. and motherboard	USPAT;	2003/03/26 10:33
1		]	US-PGPUB; EPO; JPO;	i 1
i i	]		DERWENT	1
\	I	<del></del>		

				r
1 -	: 2	244/\$.ccls. and "mother board"	USPAT;	2003/03/26 10:34
	ļ		US-PGPUB;	}
	1		EPO; JPO;	!
1	ĺ		DERWENT	;
j -	2443	244/\$.ccls. and computer	USPAT;	2003/03/26 10:49
			US-PGPUB;	i
1	ļ	; 	EPO; JPO;	1
	ļ		DERWENT	]
_	¦ 7	(244/\$.ccls. and computer) and "wiring	USPAT;	2003/03/26 10:49
1	1	harness"	US-PGPUB;	
1	1		EPO; JPO;	1
İ	}	 	DERWENT	i
_	267	244/\$.ccls. and "electrical connection"	USPAT;	2003/07/21 11:05
1	i		US-PGPUB;	,
]	l		EPO; JPO;	1
1			DERWENT	1
· 1 -	66	(244/\$.ccls. and "electrical connection")	USPAT;	2003/07/21 08:54
ł <sup>-</sup>		and panel	US-PGPUB;	2003/01/21 08:54
•	j	and paner		! 
1	ļ	l I	EPO; JPO;	j
	1 145	(Heriving hamagell on Heriving suidell) ===	DERWENT	2003/07/21 20:52
: -		("wiring harness" or "wiring guide") and	USPAT;	2003/07/21 08:59
1	ļ	flexible and panel and "electrical	US-PGPUB;	į l
!	1	connection"	EPO; JPO;	1
ļ			DERWENT	1
-	426	439/34.ccls.	USPAT;	2003/07/21 11:06
	j		US-PGPUB;	:
1		· 1	EPO; JPO;	, 1
·			DERWENT	
	129	439/34.ccls. and flexible	USPAT;	2003/07/21 11:06
	1		US-PGPUB;	j l
	I		EPO; JPO;	1
}	1	;	DERWENT	;
-	2111	307/10.1.ccls.	USPAT;	2003/07/21 11:16
1	1		US-PGPUB;	
	ļ		EPO; JPO;	i
I	i I		DERWENT	1
] -	12	("5442518"   "5681180"   "5712764"	USPAT	2003/07/21 11:15
I		"5715140"   "5754398"   "5833486"	1	1
1	1	"5856908"   "5883777"   "6059601"	!	1
1	1	"6062888"   "6095272"   "6106303").PN.		ļ '
	51	307/10.1.ccls. and "electrical connection"	USPAT;	2003/07/21 11:17
1	1	and flexible	US-PGPUB;	]
	l		EPO; JPO;	1
1		(	DERWENT	i
1_	: 333	244/\$.ccls. and avionics	USPAT;	2003/07/22 10:15
		21., 7.0010. and avionion	US-PGPUB;	1 2003/07/22 10:15
1	[	i I		<u> </u>
1			EPO; JPO;	1
· I	1430	Windtrument namely and sixaraft	DERWENT	2002/07/22 10:51
-	1439	"instrument panel" and aircraft	USPAT;	2003/07/22 10:51
•	I		US-PGPUB;	!
ł	[	, I	EPO; JPO;	į l
1		(n)	DERWENT	1
1 -	668	("instrument panel" and aircraft) and	USPAT;	2003/07/22 10:53
I	i i	(connect or connection)	US-PGPUB;	1
i i			EPO; JPO;	!
	[	   <i> </i>	DERWENT	i
	876	307/9.1.ccls.	USPAT;	2003/11/20 10:57
I	1	•	US-PGPUB;	1
1	1		EPO; JPO;	}
	Į		DERWENT	ļ į
-	36	307/9.1.ccls. and guide	USPAT;	2003/11/20 10:58
1	! 		US-PGPUB;	1
I	1	· !	EPO; JPO;	
1	!		DERWENT	1
<u></u>	<del></del>	<del></del>		<del></del>